Notification.

The Mysore Government Promissory Note No. A001598 of Mysore State Loan the 6¼ per cent loan of 1920-40 for Rs. 12-8-0 originally standing in the name of Mr. Muniyappa, son of Mr. Doddasannappa of Yaliyur, Channarayapatna Hobli, Devanhalli Taluk, and last endorsed to the proprietor, by whom it was never endorsed to any other person having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of a duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the above mentioned security.

K. R. SEETHARAMA IYENGAR,
Amildar.

Name of person notifying.
Residence.
Devanhalli, 19-5-1936.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 21391-404, *dated 26th June* 1936.

To

The Firms dealing in Type-writers.

Enquiry No. 1867.

TYPE-WRITERS.

GENTLEMEN,

Sealed tenders will be received by the undersigned up to the 13th July 1936 in accordance with the conditions of contract specified below, for the supply of type-writers (both stationary and portable models) required by the Mysore Government Offices during the year commencing from 8th August 1936 and ending with 31st July 1937.

(1) The quotations should hold good for one year from the date the contract is let.
(2) The Stores Purchase Committee do not bind themselves to purchase any particular make or makes of machines exclusively or any definite number of machines during the year.
(3) The prices to be paid should be for supply of the original make of machines and not factory rebuilt ones. A guarantee to that effect should be furnished in each case.
(4) The prices to be quoted should be for free delivery on rails Bangalore and Mysore.
(5) The tenders should specify whether ready stocks of spare parts of the machines supplied are held by the tendering firms and whether they have any service agency in the Mysore State.
(6) The quotations should include the cost of baseboard, cover, and the usual accessories to be supplied with each machine which should be specified in detail by the tendering firm.

The above enquiry number should be quoted in all your correspondence.

No. S. P. C. 21385-90, *dated 26th June* 1936.

To

The Firms dealing in Fertilisers.

Enquiry No. 1868.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Fertilisers " with the above enquiry Number.

This enquiry will be closed on the 11th July 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Mixture No. I.		Whitefield Railway Station.	
1	Sulphate of Ammonia .. .. 80 lbs.			
2	Concentrated Super .. .. 75 ,,			
3	Sulphate of Potash .. .. 120 ,,			
	(Each bag to contain $\frac{1}{3}$ of this quantity) ..	100 bags		
	Mixture No. II.			
1	Nicaphos 17/40 grade .. .. 75 lbs.			
2	Sulphate of Ammonia .. .. 25 ,,			
3	Sulphate of Potash .. .. 120 ,,			
	(Each bag to contain $\frac{1}{3}$ of this quantity) ..	150 bags		

No. S. P. C. 21507-34, dated 29th June 1936.

To

The Firms dealing in telephone cables, etc.

Enquiry No. 1870.

ACCESSORIES FOR AUTOMATIC TELEPHONE EXTENSION.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item No.	Description of materials	Quantity required
1	One-pair telephone cable, each conductor weighing 10 lbs. per mile, enamelled, double cotton covered, impregnated with insulating bitumen compound and lead-covered cable for out-door telephone use ..	5 miles
2	Underground multi-conductor paper insulated, lead-covered and steel-tape armoured and jute served telephone cable for being laid directly underground. The cable should be of twin formation and consist of 5 pairs of conductors, each conductor weighing 10 lbs. per mile	3 ,,
3	Lead-covered cable for interior work consisting of 5 pairs of enamelled double cotton covered linen tape, waxed, and lead-sheathed, each conductor weighing 10 lbs. per mile	$\frac{1}{2}$ mile
4	Cable as above, but consisting of 10 pairs	$\frac{1}{3}$,,
5	Do do 15 pairs	$\frac{1}{4}$,,
6	Cable clips for fixing the cables of items 3, 4 and 5	7,500 Nos.
7	Brown paper sleeves, 2″ long for 10 lbs. size telephone cable conductors ..	100,000 ,,
8	Oval copper sleeves made of Seamless copper tubing suitable for jointing No. 10 B. & S. bare hard-drawn copper wires, ·1019″ diameter ..	20,000 ,,
9	Jointing Tongs of Sleeve twisters for use with the sleeves of item (8) above	2 doz.
10	Lead Sleeves, $12″\times1″\times\frac{1}{8}″$ for underground telephone cable joints ..	5 ,,
11	Lead sleeves as above but of $12″\times1\frac{1}{2}″\times\frac{1}{8}″$ size	3 ,,
12	Do do $12″\times2″\times\frac{1}{8}″$ size	2 ,,
13	Solder for making plummer wiped joints for telephone cables	One cwt.
14	Complete tools for making plummer wiped joints	3 sets
15	Bitumen for filling telephone joint boxes and terminal boxes, and suitable for tropical climate	3 tons
16	Lightning Protectors, double pole, British Post Office pattern, equipped with two sets of carbon block arresters mounted on a porcelain base and provided with an insultaing cover for indoor use	500 Nos.
17	Terminal and leading in Telephone Insulators for $\frac{5}{8}″$ Screw Spindles as per type "A" shown on our drawing, complete with $\frac{5}{8}″$ galvanized screw spindles	2,500 ,,
18	Do do but of type "B" as shown on our drawing	2,500 ,,
19	Insulator sealing compound, each weighing 14 lbs.	20 tins

The cables should conform to the latest specifications of the Indian Stores Department and will be required to be tested before despatch. The tenderers should furnish complete specifications regarding the materials offered, such as thickness of insulation, lead sheath and steel armour, length and thickness of copper sleeves, etc., and the earliest time of delivery.

A copy of the drawing referred to in items 17 and 18 will be furnished on request.

As the materials are required urgently, the time of delivery will be an important factor in deciding the tenders.

The prices to be quoted should be for delivery c.i.f., Madras.

This enquiry will close on the 20th August 1936.

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 21655-56, *dated 29th June* 1936.

Enquiry No. 1869.

TIMBER REQUIRED FOR THE MYSORE RAILWAYS DURING 1936-37.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, Government of Mysore, up to the 30th July 1936, for Burmah Teak of the description given below :—

Best Indian selected Burmah Teak crown L. M. or L. R. Brand in the following sizes and quantities free from all cracks and shakes, etc.

35′×15′×15″ 150 c.ft. 30′×15″×15″ 250 ,, 20′×12″×12″ 600 ,,	}	Total 1,000 c.ft.

The prices to be quoted should be for delivery *f.o.r., Mysore South, based on Railway material certificate.*

The material will be subject to inspection and test before acceptance.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.